



# HANS HALL

PREMIUM TRACKS AND COMPONENTS

## COMPONENTS AND ACCESSORY

HANS-HALL.COM



**ORDER**

**GIVE US A CALL!**

**VIA FAX**

**+49 (0) 751 56 14 3-25**

**VIA E-MAIL**

**info@hans-hall.com**



**HANS HALL**  
**CEO / MANAGING DIRECTOR**  
**hans.hall@hans-hall.com**  
**+49 (0) 751 56 14 3-12**



**KRISTINA EITNER**  
**INSIDE SALES**  
**k.eitner@hans-hall.com**  
**+49 (0) 751 56 14 3-0**



**ELLEN GEIS**  
**INSIDE SALES**  
**e.geis@hans-hall.com**  
**+49 (0) 751 56 14 3-0**

**IF YOU HAVE ANY QUESTIONS,  
WE ARE HAPPY TO HELP YOU!**

**HANS HALL GMBH**  
**KRÜGERSTRASSE 11**  
**88250 WEINGARTEN**  
**+49 (0) 751 56 14 3-0**



**HANS HALL**  
PREMIUMKETTEN UND KOMPONENTEN

## 4 HALL COMPONENTS

SUITABLE FOR KÄSSBOHRER MACHINES

### 4 5-BELT COMBI-TRACK

- 5 HALL Track Belts and Lacings
- 6 HALL Track Belts, Lacings and Combi Cleats
- 7 HALL Tire Guides and Backing Plates

### 8 6-BELT COMBI PLUS

- 8 HALL Track Belts and Cleats Combi Plus
- 9 HALL Tire Guides and Backing Plates

### 10 7-BELT COMBI PLUS

- 10 HALL Track Belts
- 11 HALL Cleats Combi Plus, Tire Guides and Backing Plates

### 12 HALL BELT SPIKE COLLAR

## 13 OTHER COMPONENTS

SUITABLE FOR KÄSSBOHRER AND  
PRINOTH / LEITNER MACHINES

- 13 HALL Front Tension Wheel, Tire Trelleborg and Tubes
- 14 HALL Flap / "Dumbo Ears"
- 15 HALL Sprockets
- 16 HALL Track Deflector
- 17 HALL Fender

## 18 HALL COMPONENTS

SUITABLE FOR PRINOTH / LEITNER MACHINES

### 19 5-BELT

- 19 Suitable for Bison: HALL Track Belts, Lacings, Cleats and Tire Guides
- 20 Suitable for Everest: HALL Track Belts, Lacings and Cleats
- 21 Suitable for Everest: HALL Tire Guides and Backing Plates
- 22 Suitable for Leitwolf: HALL Track Belts, Lacings and Cleats
- 23 Suitable for Leitwolf: HALL Tire Guides and Backing Plates

### 24 6-BELT

- 24 Suitable for Leitwolf: HALL Track Belts and Lacings
- 26 Suitable for Leitwolf: HALL Cleats, Tire Guides and Backing Plates for GAMS
- 27 Suitable for Leitwolf: HALL Cleats, Tire Guides and Backing Plates for Steel Track

## 28 ACCESSORY

- 28 HALL Rubbing Strake for snow grooming equipment garages
- 28 HALL Cable-Car Accessory
- 29 HALL Winchropes
- 30 HALL Spare Parts for Capstan Winch Kässbohrer
- 30 HALL Spare Parts for Drum Winch Prinoth

### 31 NEW PARTNERSHIP WITH RÖCHLING



## HALL COMPONENTS


### 5-BELT COMBI TRACK, 6-BELT COMBI PLUS, 7-BELT COMBI PLUS



## 5-BELT COMBI-TRACK

### HALL TRACK BELTS AND LACINGS

Suitable for Kässbohrer PB 200N / 240 / 260 / 280 / PB 400	Order-#	Suitable for manufacturer-#
<b>1: HALL Track belt</b> 10 mm, for overlap lacing, 150 mm, long pitch	55 100 814	823.29.30.230.14
<b>2: HALL Track belt</b> 10 mm, for overlap lacing, 150 mm, short pitch	55 100 714	823.29.30.210.14
<b>3: HALL Track belt</b> 10 mm, for overlap lacing, 220 mm, short pitch	55 100 514	823.29.30.240.14
<b>4: HALL Track belt</b> 10 mm, for overlap lacing, 220 mm, short pitch	55 100 514	823.29.30.240.14
<b>5: HALL Track belt</b> 10 mm, for overlap lacing, 220 mm, long pitch	57 100 915	823.29.30.220.14
<b>HALL Belt set</b> 10 mm, 6 x 220 mm & 4 x 150 mm belts, lacings included	55 100 298	–
<b>HALL Overlaplacing</b> 10 mm x 220 mm	60 501 110	–
<b>HALL Overlaplacing</b> 10 mm x 150 mm	60 501 310	–
<b>Bolt for Cleats</b> packing unit 500 pieces	10 102 900	0.204.014.182.0




Suitable for Kässbohrer PB 300	Order-#	Suitable for manufacturer-#
<b>1: HALL Track belt</b> 10 mm, for overlap lacing, 150 mm, long pitch	55 100 417	825.29.30.180.22
<b>2: HALL Track belt</b> 10 mm, for overlap lacing, 150 mm, short pitch	55 100 300	825.29.30.160.22
<b>3: HALL Track belt</b> 10 mm, for overlap lacing, 220 mm, short pitch	55 100 100	825.29.30.190.22
<b>4: HALL Track belt</b> 10 mm, for overlap lacing, 220 mm, short pitch	55 100 100	825.29.30.190.22
<b>5: HALL Track belt</b> 10 mm, for overlap lacing, 220 mm, long pitch	55 100 200	825.29.30.170.22
<b>HALL Belt set</b> 10 mm, 6 x 220 mm & 4 x 150 mm belts, lacings included	55 100 198	–
<b>HALL Overlaplacing</b> 10 mm x 220 mm	60 501 110	–
<b>HALL Overlaplacing</b> 10 mm x 150 mm	60 501 310	–
<b>Bolt for Cleats</b> packing unit 500 pieces	10 102 900	0.204.014.182.0



## 5-BELT COMBI-TRACK

### HALL TRACK BELTS AND LACINGS

Suitable for Kässbohrer PB 300 / 300 POLAR / PB 600 / 600 POLAR		Order-#	Suitable for manufacturer-#
<b>1: HALL Track belt</b>	10 mm, for overlap lacing, 150 mm, long pitch	55 100 417	825.29.30.180.22
<b>2: HALL Track belt</b>	13 mm, for overlap lacing, 150 mm, short pitch	55 300 307	825.29.37.110.50
<b>3: HALL Track belt</b>	13 mm, for overlap lacing, 220 mm, short pitch	55 100 107	825.29.37.120.50
<b>4: HALL Track belt</b>	13 mm, for overlap lacing, 220 mm, short pitch	55 100 107	825.29.37.120.50
<b>5: HALL Track belt</b>	10 mm, for overlap lacing, 220 mm, long pitch	55 100 200	825.29.30.170.22
<b>HALL Belt set</b> 10 and 13 mm, 6 x 220 mm & 4 x 150 mm belts, lacings included		50 100 204	–
<b>HALL Overlapping</b>	13 mm x 220 mm	60 501 110	–
<b>HALL Overlapping</b>	13 mm x 150 mm	60 501 311	–
<b>Bolt for Cleats</b>	packing unit 500 pieces	10 102 900	0.204.014.182.0
<b>BELT SET AVAILABLE WITH 13 MM</b>		<b>50 100 203</b>	



## HALL COMBI CLEATS

Suitable for Kässbohrer Combi Tracks PB 200N / 240 / 260 / 280 / PB 300 / 300 POLAR / 400 / PB 600 / 600 POLAR / FORMATIC 350		Order-#	Suitable for manufacturer-#
<b>HALL Cleat</b> left-hand inside	1.365 mm, hole distance 560 mm	20 60 2202	826.29.37.160.01.0
<b>HALL Cleat</b> left-hand inside	1.365 mm, hole distance 400 mm	20 60 2101	826.29.37.140.01.0
<b>HALL Cleat</b> right-hand inside	1.365 mm, hole distance 560 mm	20 60 1702	826.29.37.260.01.0
<b>HALL Cleat</b> right-hand inside	1.365 mm, hole distance 400 mm	20 60 1601	826.29.37.240.01.0
<b>HALL Cleat</b> left-hand outside	1.285 mm	20 60 2001	825.29.37.330.06.0
<b>HALL Cleat</b> right-hand outside	1.285 mm	20 60 1501	825.29.37.430.06.0
<b>INCREASED CLEAT VERSION</b>			



Cleat side parts		Order-#	Suitable for manufacturer-#
<b>Change Kit, ice spike</b>	<b>NEW</b>	30 400 000	–

## 5-BELT COMBI-TRACK

### HALL TIRE GUIDES

100% compatible replacement for steel tire guides

Suitable for Kässbohrer Combi Tracks PB 200N / 240 / 260 / 280 / PB 300 / 300 POLAR / 400 / PB 600 / 600 POLAR / FORMATIC 350		Order-#	Suitable for manufacturer-#
<b>HALL alu tire guide</b>	Type 40, aluminum forged	40 100 300	826.29.90.625.08.0 826.29.90.625.61.0
<b>HALL plastic tire guide</b>	Type 40	40 200 400	825.29.90.625.08.0
<b>HALL PVC-Pad</b>	for tire guides	40 300 201	825.29.90.626.08.0 826.29.00.214.55.0
<b>HALL Backing plates</b>		<b>Order-#</b>	<b>Suitable for manufacturer-#</b>
<b>Steel backing plate M12</b> 215 mm, 3-hole, hole distance 80 mm, 4 mm reinforced		30 500 500	826.29.00.711.59.0
<b>Steel backing plate M12</b> 145 mm, 2-hole, hole distance 100 mm, 4 mm reinforced		30 500 600	826.29.00.711.55.0 826.29.00.712.59.0






## 6-BELT COMBI PLUS

### HALL TRACK BELTS AND CLEATS

Suitable for Kässbohrer PB 600			Order-#	Suitable for manufacturer-#
<b>1: HALL Track belt</b> 13 mm, 120 mm wide, long pitch			55 100 020	826.29.00.410.61.0
<b>2: HALL Track belt</b> 13 mm, 150 mm wide, short pitch			55 100 021	826.29.00.450.61.0
<b>3: HALL Track belt</b> 13 mm, 220 mm wide, short pitch			55 100 022	826.29.00.430.61.0
<b>4: HALL Track belt</b> 13 mm, 150 mm wide, short pitch			55 100 021	826.29.00.450.61.0
<b>5: HALL Track belt</b> 13 mm, 150 mm wide, short pitch			55 100 021	826.29.00.450.61.0
<b>6: HALL Track belt</b> 13 mm, 120 mm wide, long pitch			55 100 020	826.29.00.410.61.0
<b>HALL Belt set</b> 13 mm, 4 x 120 mm, 6 x 150 mm, 2 x 220 mm belts, lacings included			55 100 023	–
<b>HALL Overlapping</b>	13 mm x 120 mm		60 501 415	–
<b>HALL Overlapping</b>	13 mm x 150 mm		60 501 316	–
<b>HALL Overlapping</b>	13 mm x 220 mm		60 501 115	–
<b>Bolt for Cleats</b>	packing unit 100 pieces		10 102 900	0.204.014.182.0
<b>HALL Cleat</b> outside	1.425 mm	1 & 2-fold assembly*	20 600 601	826.29.27.710.61.0 826.29.27.730.61.0
<b>HALL Cleat</b> inside	1.360 mm	1 & 2-fold assembly*	20 600 603	826.29.27.770.61.0 826.29.27.750.61.0

\*THE CLEAT HAS ALL PLACEMENT OPTIONS INTEGRATED.





## 6-BELT COMBI PLUS

### HALL TIRE GUIDES

100% compatible replacement for steel tire guides

Suitable for Kässbohrer Combi Tracks PB 200N / 240 / 260 / 280 / PB 300 / 300 POLAR / 400 / PB 600 / 600 POLAR / FORMATIC 350		Order-#	Suitable for manufacturer-#
<b>HALL alu tire guide</b>	Type 40, aluminum forged	40 100 300	826.29.90.625.08.0 826.29.90.625.61.0
<b>HALL plastic tire guide</b>	Type 40	40 200 400	825.29.90.625.08.0
<b>HALL PVC-Pad</b>	for tire guides	40 300 201	825.29.90.626.08.0 826.29.00.214.55.0



HALL Backing plates		Order-#	Suitable for manufacturer-#
<b>Steel backing plate M12</b>	215 mm, 3-hole, hole distance 80 mm, 4 mm reinforced	30 500 500	826.29.00.711.59.0
<b>Steel backing plate M12</b>	145 mm, 2-hole, hole distance 100 mm, 4 mm reinforced	30 500 600	826.29.00.711.55.0 826.29.00.712.59.0
<b>Steel backing plate M12</b>	115 mm, 2-hole, hole distance 70 mm, 4 mm reinforced	30 500 400	826.29.00.721.57.0




## 7-BELT COMBI PLUS

### HALL TRACK BELTS



Suitable for Kässbohrer PB 600		Order-#	Suitable for manufacturer-#
<b>1: HALL Track belt</b> 13 mm, 105 mm width, long pitch		55 100 001	826.29.00.520.57.0
<b>2: HALL Track belt</b> 13 mm, 120 mm width, long pitch		55 100 002	826.29.00.570.56.0
<b>3: HALL Track belt</b> 13 mm, 150 mm width, short pitch		55 100 003	826.29.00.510.55.0
<b>4: HALL Track belt</b> 13 mm, 150 mm width, short pitch		55 100 003	826.29.00.510.55.0
<b>5: HALL Track belt</b> 13 mm, 150 mm width, short pitch		55 100 003	826.29.00.510.55.0
<b>6: HALL Track belt</b> 13 mm, 150 mm width, short pitch		55 100 003	826.29.00.510.55.0
<b>7: HALL Track belt</b> 13 mm, 120 mm width, long pitch		55 100 002	826.29.00.570.56.0
<b>HALL Belt set</b> 13 mm, 2 x 105 mm, 4 x 120 mm, 8 x 150 mm belts, lacings included		55 100 010	–
<b>HALL Overlapping</b>	13 mm x 105 mm	60 501 418	–
<b>HALL Overlapping</b>	13 mm x 120 mm	60 501 415	–
<b>HALL Overlapping</b>	13 mm x 150 mm	60 501 316	–
<b>Bolt for Cleats</b>	packing unit 100 pieces	10 102 900	0.204.014.182.0





## 7-BELT COMBI PLUS

### HALL CLEATS COMBI PLUS

Suitable for Kässbohrer PB 600			Order-#	Suitable for manufacturer-#
HALL Cleat outside	1430-720	1-fold fittings, screw connection M12	21 430 720	826.29.27.720.57.0
HALL Cleat outside	1430-740	2-fold fittings , screw connection M12	21 430 740	826.29.27.740.57.0
HALL Cleat inside	1275-760	2-fold fittings , screw connection M12	21 275 760	826.29.27.760.57.0
HALL Cleat inside	1275-780	1-fold fittings, screw connection M12	21 275 780	826.29.27.780.57.0
HALL Cleat outside	1430-220	1-fold fittings, screw connection M14	21 430 220	826.29.27.220.57.0
HALL Cleat outside	1430-240	2-fold fittings, screw connection M14	21 430 240	826.29.27.240.57.0
HALL Cleat inside	1275-260	2-fold fittings, screw connection M14	21 275 260	826.29.27.260.57.0
HALL Cleat inside	1275-280	1-fold fittings, screw connection M14	21 275 280	826.29.27.280.57.0



## HALL TIRE GUIDES

100 % compatible replacement for steel-tire-guides

Suitable for Kässbohrer Combi Tracks PB 600		Order-#	Suitable for manufacturer-#
HALL alu tire guide	Type 70, aluminum forged, M12	40 500 700	826.29.00.211.57.0
HALL plastic tire guide	Type 70, plastic, M12	40 500 701	826.29.00.211.57.0
HALL alu tire guide	Type 70, aluminum forged, M14	40 500 703	826.29.00.311.57.0
HALL PVC-Pad	for tire guides	40 300 201	825.29.90.626.08.0 826.29.00.214.55.0

Suitable for Kässbohrer Combi Tracks PB 600		Order-#	Suitable for manufacturer-#
Steel backing plate	M12 105 mm, 2-hole, hole distance 65 mm, 4 mm reinforced	30 500 602	826.29.00.722.57.0
Steel backing plate	M12 145 mm, 2-hole, hole distance 100 mm, 4 mm reinforced	30 500 600	826.29.00.711.55.0
			826.29.00.712.59.0
Steel backing plate	M12 115 mm, 2-hole, hole distance 70 mm, 4 mm reinforced	30 500 400	826.29.00.721.57.0



SUITABLE FOR KÄSSBOHRER

# INNOVATION FOR THE WORLD MARKET HANS HALL BELT SPIKE COLLAR

PAGE 12

You will be impressed by this unique fastening system. The new belt spike collar guarantees an optimal cleat-belt connection. The power is now sent directly through the serrated plates into the fabric. The bolt stress is relieved by a wide surface of the spike collar and anchoring in the fabric of the rubber belt. Bolt breakage and elongated bolt holes in the rubber belt are a thing of the past.

**Also suitable for retrofitting.  
Please note our optimization kits  
for the central belts of the track.**

**PRICES ON REQUEST**

Before:  
Belt with blistering and elongated holes  
with previous belt-cleat-connections.





## OTHER COMPONENTS


### HALL FRONT TENSION WHEEL

Suitable for Kässbohrer PB 300 / 400 / 600		Order-#	Suitable for manufacturer-#
HALL Front tension wheel	13"	80 200 400	825.24.10.110.06.0



### HALL TIRE TRELLEBORG

Suitable for Kässbohrer and Prinoth / Leitner		Order-#	Suitable for manufacturer-#
Tire	Trelleborg 12"	80 100 100	–
Tire	Trelleborg 13"	80 100 200	–
Tire	Trelleborg 14"	80 100 300	–



### HALL TUBES

Suitable for Kässbohrer and Prinoth / Leitner		Order-#	Suitable for manufacturer-#
Inner tube	heavy duty, 12"	80 101 100	–
Inner tube	heavy duty, 13"	80 101 200	–
Inner tube	heavy duty, 14"	80 101 300	–

# PROVEN FOR YEARS FLAP / “DUMBO EARS”

SUITABLE FOR  
KÄSSBOHRER  
AND PRINOTH  
SNOW  
GROOMER

With our know-how, the HALL-Tiller-Flaps suitable for Kässbohrer and Prinoth snow groomers have proven themselves over many years. As with all HALL components, we strive to offer you the highest quality and wear resistance. We have strengthened our Flaps without the use of additional weights. We have optimized the weight load and reduced the wear of the Flaps. HALL-Tiller-Flaps come equipped with steel adapter plates to accommodate both tiller styles.

**Result: LONG LIFE!**

Our reinforced Flaps fit perfectly and do not lose their shape. The on-snow results with a HALL side finisher speaks for itself.

**Result: Best QUALITY!**

## Suitable for Kässbohrer PB 300 / 400 / 600

Order-#	Suitable for manufacturer-#
<b>Flap / “Dumbo Ears” yellow left</b> including adapter plate for new and old version	90 000 024
<b>Flap / “Dumbo Ears” yellow right</b> including adapter plate for new and old version	90 000 025



## Suitable for Prinoth BISON, EVEREST, LEITWOLF, BEAST

Order-#	Suitable for manufacturer-#
<b>Flap / “Dumbo Ears” red left</b>	90 000 013
<b>Flap / “Dumbo Ears” red right</b>	90 000 002





## OTHER COMPONENTS

### HALL SPROCKETS

Suitable for Kässbohrer		Order-#	Suitable for manufacturer-#
<b>HALL Sprocket</b>	suitable for PB 100	80 302 111	821.25.08.110.20.0
<b>HALL Sprocket</b>	suitable for PB 100 4F	80 302 116	822.25.08.130.04.0
<b>HALL Sprocket</b>	suitable for PB 200 / 240 / 260 / 280	80 301 000	823.25.08.370.14.0
<b>HALL Sprocket</b>	suitable for PB 400 5-Belt	80 301 200	823.25.08.370.14.0
<b>HALL Sprocket</b>	suitable for PB 400 6-Belt	80 201 201	–
<b>HALL Sprocket</b>	suitable for PB 300 / 600 / POLAR 5-Belt Please indicate drive number!	80 311 201	825.25.08.370.13.0
<b>HALL Sprocket</b>	suitable for PB 600 Combi Plus 7-Belt	80 301 005	826.25.08.430.57.0
<b>HALL Sprocket</b>	suitable for PB 600 Combi Plus Light 6-Belt	80 301 004	826.25.08.580.61.0

#### BOLTS AND STEELRING INCLUDED

Suitable for Prinoth / Leitner		Order-#	Suitable for manufacturer-#
<b>HALL Sprocket</b>	suitable for Prinoth Everest	80 301 500	1102294
<b>HALL Sprocket</b>	suitable for Prinoth Bison / Beast	80 301 700	670015404 / 670015418
<b>HALL Sprocket</b>	suitable for Prinoth Husky	80 301 600	670015404 / 670015418
<b>HALL Sprocket</b>	suitable for Prinoth Leitwolf / LH 500 until 2012	80 301 800	1100674
<b>HALL Sprocket</b>	suitable for Prinoth Leitwolf from 2014 72 cleats	80 301 801	41008788
<b>HALL Sprocket</b>	suitable for Prinoth Leitwolf from 2014 66 cleats	80 301 802	–

#### BOLTS AND STEELRING INCLUDED

OTHER SPROCKETS ON REQUEST.



## OTHER COMPONENTS

### HALL TRACK DEFLECTOR

Suitable for Kässbohrer PB 200 / 240 / 260 / 280	Order-#	Suitable for manufacturer-#
<b>HALL Track deflector</b> roller large 202 mm x 60 mm for tension axle	90 400 200	813.24.00.201.35.0
<b>HALL Track deflector</b> roller small 225x60mm for middle axle	90 400 600	826.24.00201.35.0 / 813.24.00.201.35.0
<b>HALL Track deflector</b> roller 285x48mm for final drive	90 400 201	–

Suitable for Kässbohrer PB 300 / 600 / POLAR	Order-#	Suitable for manufacturer-#
<b>HALL Track deflector</b> roller large 230x60mm for tension axle	90 400 300	826.24.00.330.57.0 / 826.24.00.410.57.0
<b>HALL Track deflector</b> roller small 150x30mm for tension axle	90 400 500	826.24.10.310.57.0 / 824.24.10.310.57.0
<b>HALL Track deflector</b> roller middle 180x60mm for tension axle	90 400 505	826.24.00.321.57.0 / 826.24.00.420.57.0
<b>HALL Track deflector</b> roller small 225x60mm for middle axle	90 400 600	826.24.00.201.35.0 / 813.24.00.201.35.0
<b>HALL Track deflector</b> roller large 296x40mm for middle axle	90 400 506	826.24.00.310.57.0 / 826.24.00.320.57.0
<b>HALL Track deflector</b> roller 380x48mm for final drive	90 400 700	–

Suitable for Prinoth Everest	Order-#	Suitable for manufacturer-#
<b>HALL Track deflector</b> final drive below side 730 mm x 216 mm x 53,5 mm	90 252 424	–
<b>HALL Track deflector</b> final drive top side 600 mm x 230 mm x 53,5 mm	90 252 425	–
<b>HALL Track deflector</b> middle axle below side 497,5 mm x 100 mm x 40 mm	90 524 211	–
<b>HALL Track deflector</b> middle axle top side 368 mm x 112,5 mm x 38 mm	90 524 212	–
<b>HALL Track deflector</b> front axle below side 30 mm x 40 mm	90 500 000	–
<b>HALL Track deflector</b> front axle top side 140 mm x 30 mm	90 524 213	–

Suitable for LH500	Order-#	Suitable for manufacturer-#
<b>HALL Track deflector</b> final drive 730 mm x 250 mm x 50 mm	90 400 400	–
<b>HALL Track deflector</b> front axle 342 mm x 150 mm x 70 mm	90 400 401	–





## OTHER COMPONENTS

## HALL FENDER


Suitable for Kässbohrer		Order-#	Suitable for manufacturer-#
<b>HALL Fender right side</b>	suitable for PB 200 / 240 / 260 / 280	90 312 001	–
<b>HALL Fender left side</b>	suitable for PB 200 / 240 / 260 / 280	90 312 002	–
<b>HALL Fender right side</b>	suitable for PB 300 / 320 / 330 / POLAR	90 312 005	–
<b>HALL Fender left side</b>	suitable for PB 300 / 320 / 330 / POLAR	90 312 006	–
<b>HALL Fender right side</b>	black, suitable for PB 600 / POLAR	90 312 003	–
<b>HALL Fender left side</b>	black, suitable for PB 600 / POLAR	90 312 004	–
<b>HALL Fender right side</b>	red, suitable for PB 600 / POLAR	90 312 007	–
<b>HALL Fender left side</b>	red, suitable for PB 600 / POLAR	90 312 008	–



Suitable for Prinoth / Leitner		Order-#	Suitable for manufacturer-#
<b>HALL Fender right side</b>	suitable for Prinoth Everest incl. mud flap	90 311 003	–
<b>HALL Fender left side</b>	suitable for Prinoth Everest incl. mud flap	90 311 004	–
<b>HALL Fender right side</b>	suitable for Prinoth Leitwolf till 2016 incl. mud flap	90 311 001	–
<b>HALL Fender left side</b>	suitable for Prinoth Leitwolf till 2016 incl. mud flap	90 311 002	–
<b>HALL Fender right side</b>	suitable for Prinoth Leitwolf from 2016 incl. mud flap	90 311 016	–
<b>HALL Fender left side</b>	suitable for Prinoth Leitwolf from 2016 incl. mud flap	90 311 015	–



<b>HALL Mudguard flex system</b>	fibre: 180-200 mm, max. length 25 m, order per meter	00 903 113	FBL4004-264493
----------------------------------	--	------------	----------------




## HALL COMPONENTS 5-BELT, 6-BELT



## 5-BELT / SUITABLE FOR BISON HALL TRACK BELTS AND LACINGS

Suitable for Prinoth BISON / BISON X Combi Track		Order-#	Suitable for manufacturer-#
<b>1: HALL Track belt</b> for overlap lacing, 150 mm, long pitch		50 205 000	–
<b>2: HALL Track belt</b> for overlap lacing, 150 mm, short pitch		50 204 000	–
<b>3: HALL Track belt</b> for overlap lacing, 240 mm, short pitch		50 202 000	–
<b>4: HALL Track belt</b> for overlap lacing, 240 mm, short pitch		50 202 000	–
<b>5: HALL Track belt</b> for overlap lacing, 240 mm, long pitch		50 203 000	–
<b>HALL Belt set</b> complete, 6 x 240 mm and 4 x 150 mm belts, lacing included		50 206 000	–
<b>HALL Overlap lacing</b>	version G 240 / 220 / 203 mm	60 502 000	–
<b>HALL Overlap lacing</b>	version G 150 mm	60 502 100	–
<b>BELT SET INCLUDING LACINGS</b>			



## HALL TRACK CLEATS

Suitable for Prinoth BISON / BISON X Combi Track		Order-#	Suitable for manufacturer-#
<b>HALL Cleat Combi</b> inside left	1.388 mm	20 602 900	–
<b>HALL Cleat Combi</b> outside left	1.330 mm	20 601 801	1302838
<b>HALL Cleat Combi</b> inside right	1.388 mm	20 603 000	–
<b>HALL Cleat Combi</b> outside right	1.330 mm	20 601 800	1302839
<b>HEAVY DUTY</b>			
<b>Change kit, ice spike</b> for combi cleat	<b>NEW</b>	30 100 800	–




Suitable for Prinoth EVEREST / BISON, Combi Track		Order-#	Suitable for manufacturer-#
<b>HALL tire guide</b>	Type 42, M12	40 200 800	202990-00
<b>HALL Backing Plates</b>			
<b>Steel backing plate M12</b> 145 mm, 2-hole, hole distance 105 mm, 4 mm reinforced		30 501 300	–
<b>Steel backing plate M12</b> 235 mm, 3-hole, hole distance 97,5 mm, 4 mm reinforced		30 602 100	–





## 5-BELT / SUITABLE FOR EVEREST HALL TRACK BELTS AND LACINGS

Suitable for EVEREST / EVEREST POWER Combi Track	Order-#	Suitable for manufacturer-#
<b>1: HALL Track belt</b> for overlap lacing, 150 mm, long pitch	55 400 401	1303394
<b>2: HALL Track belt</b> for overlap lacing, 150 mm, short pitch	55 400 301	1303398
<b>3: HALL Track belt</b> for overlap lacing, 240 mm, short pitch	55 400 101	1303394
<b>4: HALL Track belt</b> for overlap lacing, 240 mm, short pitch	55 400 101	1303394
<b>5: HALL Track belt</b> for overlap lacing, 240 mm, long pitch	55 400 201	1303396
<b>HALL Belt set</b> 13 mm, complete (6 x 240 mm & 4 x 150 mm) lacing included	55 100 500	–
<b>HALL Overlap lacing</b> version G 240 / 220 / 203 mm	60 502 013	–
<b>HALL Overlap lacing</b> version G 150 mm	60 502 113	–
<b>NEW: EACH BELT WITH 13 MM THICKNESS, BELT SET INCLUDING LACINGS</b>		



## HALL TRACK CLEATS

Suitable for Prinoth EVEREST Combi Track	Order-#	Suitable for manufacturer-#
<b>HALL Cleat Combi</b> inside left 1.425 mm	20 602 400	1302842
<b>HALL Cleat Combi</b> outside left 1.330 mm	20 601 801	1302838
<b>HALL Cleat Combi</b> inside right 1.425 mm	20 601 900	1302843
<b>HALL Cleat Combi</b> outside right 1.330 mm	20 601 800	1302839
<b>HEAVY DUTY</b>		
<b>Change kit, ice spike</b> for combi cleat <b>NEW</b>	30 100 800	–



Suitable for Prinoth EVEREST	Order-#	Suitable for manufacturer-#
<b>Excalibur suitable for Steel and Gams Track</b>		
<b>HALL Cleat Excalibur</b> inside M12 1.425 mm	20 604 600	–
<b>HALL Cleat Excalibur</b> outside M12 1.345 mm	20 604 500	–



## 5-BELT / SUITABLE FOR EVEREST HALL TIRE GUIDES

Suitable for Prinoth EVEREST, COMBI CLEAT		Order-#	Suitable for manufacturer-#
<b>HALL tire guide</b>	Type 42, M12	40 200 800	202990-00



Suitable for Prinoth EVEREST / BEAST, Steel-/ Aluminum Belt		Order-#	Suitable for manufacturer-#
<b>HALL tire guide</b>	Type 50, aluminum forged, M12	40 110 912	1201431




HALL Backing Plates		Order-#	Suitable for manufacturer-#
<b>Steel backing plate M12</b>			
145 mm, 2-hole, hole distance 105 mm suitable for Everest / Bison, 4 mm reinforced		30 501 300	–
<b>Steel backing plate M12</b>			
235 mm, 3-hole, hole distance 97,5 mm suitable for Everest / Bison, 4 mm reinforced		30 602 100	–



## 5-BELT / SUITABLE FOR LEITWOLF HALL TRACK BELTS AND LACINGS

Suitable for LEITWOLF until 2012 Aluminum & Steel Track		Order-#	Suitable for manufacturer-#
<b>1: HALL Track belt</b> for claw-/overlap lacing, 220 mm, long pitch		55 300 212	1304806
<b>2: HALL Track belt</b> for claw-/overlap lacing, 220 mm, short pitch		55 300 101	1304804 / 1201744
<b>3: HALL Track belt</b> for claw-/overlap lacing, 203 mm, middle belt		55 300 403	1201743
<b>4: HALL Track belt</b> for claw-/overlap lacing, 220 mm, short pitch		55 300 101	1304804 / 1201744
<b>5: HALL Track belt</b> for claw-/overlap lacing, 220 mm, short pitch		55 300 304	1304805
<b>HALL Belt set</b> 13 mm, kpl. (8 x 220 mm, 2 x 203 mm belts) lacing included		55 100 415	41095153
<b>HALL Overlap lacing</b>	version G 240 / 220 / 203 mm	60 502 013	–
<b>HALL Overlap lacing</b>	version G 150 mm	60 502 113	–
<b>NEW: EACH BELT WITH 13 MM THICKNESS,</b>			
<b>BELT SET INCLUDING LACINGS</b>			



## HALL TRACK CLEATS

Suitable for Prinoth LEITWOLF until 2012		Order-#	Suitable for manufacturer-#
<b>Excalibur suitable for Steel and Gams</b>			
<b>HALL Cleat Excalibur</b> inside	1.337 mm	20 604 300	1303222 / 1308224
<b>HALL Cleat Excalibur</b> outside	1.720 mm	20 604 900	1303221 / 1308223





## 5-BELT / SUITABLE FOR LEITWOLF HALL TIRE GUIDES

Suitable for LEITWOLF until 2012		Order-#	Suitable for manufacturer-#
<b>HALL Duplo tire guide</b>	M12, ROBALON	41 401 500	1100928



HALL Backing Plates		Order-#	Suitable for manufacturer-#
<b>Steel backing plate M12</b>			
215 mm, 3-hole, hole distance 80 mm suitable for Leitwolf until 2012, 4 mm reinforced		30 500 500	–
<b>Steel backing plate M12</b>			
215 mm, 3-hole, hole distance 85 mm suitable for Leitwolf until 2012, 4 mm reinforced		30 501 000	–




## 6-BELT / SUITABLE FOR LEITWOLF

### HALL TRACK BELTS AND LACINGS


Suitable for Prinoth LEITWOLF from 2012 Edition (13 mm, 72 cleats) GAMS		Order-#	Suitable for manufacturer-#
Track width 1820 mm			
<b>1: HALL Track belt</b> 13 mm, 150 mm wide, long pitch		50 302 061	–
<b>2: HALL Track belt</b> 13 mm, 220 mm wide, short pitch		50 302 062	–
<b>3: HALL Track belt</b> 13 mm, 220 mm wide, short pitch		50 302 062	–
<b>4: HALL Track belt</b> 13 mm, 220 mm wide, short pitch		50 302 062	–
<b>5: HALL Track belt</b> 13 mm, 150 mm wide, short pitch		50 302 060	–
<b>6: HALL Track belt</b> 13 mm, 150 mm wide, long pitch		50 302 061	–
<b>HALL Belt set</b> 13 mm, 4 x 150 mm LL, 4 x 150 mm KL, 4 x 220 mm KL		50 302 063	–
<b>BELT SET INCLUDING LACINGS</b>			
<b>HALL Overlap lacing</b>	13 mm x 150 mm	60 501 301	–
<b>HALL Overlap lacing</b>	13 mm x 2250 mm	60 501 115	–
<b>Locknut M12</b>	packing unit 100 pieces	10 201 218	–

Suitable for Prinoth LEITWOLF from 2012 Edition (13 mm, 72 cleats) GAMS		Order-#	Suitable for manufacturer-#
Track width 1720 mm			
<b>1: HALL Track belt</b> 13 mm, 150 mm wide, long pitch		50 302 061	–
<b>2: HALL Track belt</b> 13 mm, 220 mm wide, short pitch		50 302 062	–
<b>3: HALL Track belt</b> 13 mm, 150 mm wide, short pitch		50 302 060	–
<b>4: HALL Track belt</b> 13 mm, 150 mm wide, short pitch		50 302 060	–
<b>5: HALL Track belt</b> 13 mm, 220 mm wide, short pitch		50 302 062	–
<b>6: HALL Track belt</b> 13 mm, 150 mm wide, long pitch		50 302 061	–
<b>HALL Belt set</b> 13 mm, 4 x 150 mm LL, 4 x 150 mm KL, 4 x 220 mm KL		50 302 063	–
<b>BELT SET INCLUDING LACINGS</b>			



## 6-BELT / SUITABLE FOR LEITWOLF HALL TRACK BELTS AND LACINGS

Steel 6-Belt modified, 72 cleats		Order-#	Suitable for manufacturer-#
<b>1: HALL Track belt</b> 13 mm, 150 mm wide, long pitch		50 302 041	1306579
<b>2: HALL Track belt</b> 13 mm, 220 mm wide, short pitch asymmetrical		50 302 043	1306577
<b>3: HALL Track belt</b> 13 mm, 150 mm wide, short pitch		50 302 040	–
<b>4: HALL Track belt</b> 13 mm, 150 mm wide, short pitch		50 302 040	–
<b>5: HALL Track belt</b> 13 mm, 220 mm wide, short pitch asymmetrical		50 302 043	1306577
<b>6: HALL Track belt</b> 13 mm, 150 mm wide, long pitch		50 302 041	1306579
<b>HALL Belt set</b> 13 mm, 4 x 150 mm LL, 4 x 150 mm KL, 4 x 220 mm KL		50 302 044	–
<b>BELT SET INCLUDING LACINGS</b>			
<b>HALL Overlap lacing</b> version G	13 mm x 150 mm	60 502 113	–
<b>HALL Overlap lacing</b> version G	13 mm x 220 mm	60 502 013	–
<b>Locknut M12</b>	packing unit 100 pieces	10 201 218	–





## 6-BELT / SUITABLE FOR LEITWOLF

### HALL CLEATS AND TIRE GUIDES FOR GAMS

HALL Cleats suitable for Prinoth LEITWOLF			Order-#	Suitable for manufacturer-#
<b>HALL Steg</b> short outside	1.420 mm	for track width 1.720 mm	20 614 512	–
<b>HALL Steg</b> short inside	1.420 mm	for track width 1.720 mm	20 614 513	–
<b>HALL Steg</b> long outside	1.510 mm	for track width 1.820 mm	20 614 510	–
<b>HALL Steg</b> long inside	1.560 mm	for track width 1.820 mm	20 614 511	–



HALL Tire Guide		Order-#	Suitable for manufacturer-#
<b>HALL Tire Guide</b>	Gams, plastic, Type 50, M12	40 300 010	–



HALL Backing Plates		Order-#	Suitable for manufacturer-#
<b>Steel backing plate M12</b>			
215 mm, 3-hole, hole distance 80 mm suitable for Leitwolf until 2012, 4 mm reinforced		30 500 500	–
<b>Steel backing plate M12</b>			
215 mm, 3-hole, hole distance 85 mm suitable for Leitwolf until 2012, 4 mm reinforced		30 501 000	–



## 6-BELT / SUITABLE FOR LEITWOLF

### HALL CLEATS AND TIRE GUIDES FOR STEEL TRACK

Hall Cleats suitable for Prinoth LEITWOLF from 2014			Order-#	Suitable for manufacturer-#
<b>HALL Cleat</b> long outside	1.525 mm	for track width 1.820 mm	20 614 603	1305625
<b>HALL Cleat</b> short inside	1.430 mm	for track width 1.820 mm / 1.720 mm	20 614 601	1305613
<b>HALL Cleat</b> short outside	1.430 mm	for track width 1.720 mm	20 614 602	1305613
<b>Stehbolzen</b> M12 x 35	packing unit 100 pieces		10 107 601	–



HALL Tire Guide suitable for Prinoth LEITWOLF from 2012		Order-#	Suitable for manufacturer-#
<b>HALL Tire guide</b>	Type 50, aluminum forged, M12	40 110 912	1201431
<b>HALL Tire guide</b>	Type 50, plastic, M12	40 110 913	–




HALL Backing Plates suitable for Prinoth LEITWOLF from 2016		Order-#	Suitable for manufacturer-#
<b>Steel backing plate M12</b>	145 mm, 2-hole, hole distance 105 mm, 4 mm reinforced	30 501 400	–
<b>Steel backing plate M12</b>	215 mm, 3-hole, hole distance 105/70 mm, 4 mm reinforced	30 500 302	–



HALL RUBBING STRAKE  
FOR SNOW GROOMING EQUIPMENT GARAGES



Hall Rubbing Strake equipment garages		Order-#	Suitable for manufacturer-#
Hall Rubbing strake	without holes 1 m x 100 mm x 35 mm (L x W x H)	90 103 500	–
Hall Rubbing strake	with holes 1 m x 100 mm x 35 mm (L x W x H)	90 103 501	–
Hall Rubbing strake	with holes 1 m x 100 mm x 50 mm (L x W x H)	90 105 000	–
AVAILABLE IN LENGTHS 1M, 2M, 3M. OTHER LENGTHS ON REQUEST.			



HALL CABLE-CAR ACCESSORY

HALL Pneumatic tire	Order-#	Suitable for manufacturer-#
Tire 4.00-8 for detachable chair-lift or gondola-lift	80 100 900	–
HALL-Inner tube 3.50-4.80-8 for lift tires 3.50 / 4.0 with 90° tire valve	80 101 601	–





## HALL WINCHROPES




Suitable for Capstan winch Kässbohrer	Order-#	Suitable for manufacturer-#
<b>HALL / PWtrac PLUS Winchrope</b> 1.050 m, Ø 11 mm	92 200 001	8.461.126.391.0
<b>HALL / PWtrac PLUS Winchrope</b> 1.130 m, Ø 11 mm	92 200 003	–
<b>HALL / PWtrac PLUS Winchrope</b> 1.450 m, Ø 11 mm	92 200 004	8.461.140.004.0

Suitable for Drum winch Prinoth	Order-#	Suitable for manufacturer-#
<b>HALL / PWtrac DRUM Winchrope</b> 1.000 m, Ø 10 mm	92 200 002	1500958
<b>HALL / PWtrac DRUM Winchrope</b> 1.200 m, Ø 10 mm	92 200 005	1500950
<b>HALL / PWtrac DRUM Winchrope</b> 1.000 m, Ø 11 mm	92 200 006	1501760
<b>HALL / PWtrac DRUM Winchrope</b> 1.200 m, Ø 11 mm	92 200 007	1501708



## HALL SPARE PARTS

Suitable for Capstan winch Kässbohrer		Order-#	Suitable for manufacturer-#
HALL Rope deflector	4.5 t / 4.6 t	92 100 001	8.461.136.044.0
HALL Deflector block	4.5 t / 4.6 t	92 100 002	8.461.141.011.0
HALL Rope guide ALU	4.5 t / 4.6 t	92 100 003	8.461.136.046.0
HALL Rope guide ROBALON	4.5 t / 4.6 t	92 100 005	8.461.136.046.0
HALL PVC deflector proactive control	4.5 t / 4.6 t	92 100 004	8.461.136.044.0
HALL Rope stripper left for PB winch	4.0 t	92 100 006	8.461.126.462.0
HALL Rope stripper right for PB winch	4.0 t	92 100 007	8.461.126.461.0
HALL Pulley winch head	Ø 180 mm, for winch boom, 4.5 t / 4.6 t	92 100 010	8.461.136.028.0
HALL Groove gauge	Ø 10 mm + 11 mm	92 201 011	–
HALL Deep groove ball bearing 6305A.RSR	for winch 4.5 t / 4.6 t	92 201 012	8.461.136.034.0
HALL Pulley winch arm	Ø 340 mm, for winch boom 4.5 t / 4.6 t	92 201 013	8.461.140.010.0
HALL Cylinder roller bearing	Ø 80 mm, for winch 4.5 t / 4.6 t	92 201 014	8.461.140.013.0
HALL Cylinder roller bearing GREASE	Ø 80 mm, for winch 4.5 t / 4.6 t	92 201 015	8.461.140.013.0
HALL Pulley winch arm	Ø 340 mm, 4.0 t winch	92 201 016	8.461.126.470.0
HALL Axle for guide roller on winch head	4.5 t / 4.6 t	92 201 017	8.461.136.031.0
HALL Guide roller winch head	4.5 t / 4.6 t	92 201 018	8.461.136.032.0
HALL Bearing	Ø 40 mm 6203-C-2HR	92 202 005	–
HALL Extension rope anchor point 5 m	Ø 16.2 mm	92 201 019	–
HALL Extension rope anchor point 10 m	Ø 16.2 mm	92 201 020	–
HALL Extension rope anchor point 15m	Ø 16.2 mm	92 201 021	–



Suitable for Drum winch Prinoth		Order-#	Suitable for manufacturer-#
HALL Roll purple	Ø 108 mm	92 202 001	1306346
HALL Bearing	Ø 42 mm 6004 2 RS	92 202 002	–
HALL Guide roller	Ø 50 mm	92 202 003	1306315
HALL Bearing	Ø 35 mm 6003 2 RS	92 202 004	8.461.140.004.0

# WE HAVE COMBINED OUR STRENGTHS: NEW PARTNERSHIP WITH RÖCHLING

## Years of experience, good availability, and taking out the middle man.

Your satisfaction thanks to high quality products and a personal attention are our top priority. To achieve this we have combined our strengths with the strengths of our long-standing partner Röchling Industrial.

### IN DETAIL

The goal is to better plan your needs so that you receive your products quickly and reliably.

IF YOU  
HAVE ANY QUESTIONS:  
**HANS HALL GMBH**  
**TEL +49 751 56143-0**  
**INFO@HANS-HALL.COM**  
**HANS-HALL.COM**



## HANS HALL

PREMIUMKETTEN UND KOMPONENTEN

Focused on snow grooming machines for 44 years, we have made a name for ourselves through highly specialized know-how, flexibility and solution-oriented services. Our customers trust in the durability and reliability of our products as well as on our innovative strength.

## Röchling

Röchling Industrial Oepping (formerly Röchling LERIPA Papertech) draws on decades of know-how. The production and processing of high-performance plastics, including the widely known material Robalon®, has been successfully developed and continuously improved at the Oepping (Austria) site since 1961. The multitude of production possibilities with modern machinery enables Röchling to offer a broad range of products and materials.

### WHAT DOES THIS MEAN FOR YOU AS A CUSTOMER:

- Processing of orders / requirements takes place via Hans Hall GmbH
- We maintain close cooperation with Röchling to help with technical queries or developments.
- In case of individual inquiries, Röchling accompanies the project and decides on a case-by-case basis whether direct handling or via Hans Hall is more suitable.





**HANS HALL GMBH**  
**KRÜGERSTRASSE 11**  
**88250 WEINGARTEN**  
**+49 (0) 751 56 14 3-0**

**PRICES CAN BE FOUND IN THE WEBSHOP.**

**The specified spare parts are HALL items.**  
**The manufacturer numbers are for comparison purposes only.**  
**The naming of the brand serves only the assignment to a product.**